



UNIVERSAL CERTIFICATION CENTRE CO., LTD. ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFICATE No.: 02420E31010597R3M

This is to certify that the environmental system of

SHENZHEN RISHANG OPTO-ELECTRONICS CO., LTD.

(UNIFIED SOCIAL CREDIT CODE: 91446380799272172E.)

(ADD: FL3 TO S, BLOCK 2, HONGEA BIATELLIH-TECH PAING QUILDING 42, ORIGINAL HONGLONG HI-TECH BIDINTRIAL PAIN SHIKIN COMMENITY, SHEYAN TOWN, BAOAN DISTRICT, SHENZHEN CITY, QUANGDONG, P. R. CHINA ZIP, SHRIKS) is in conformity with:

GB/T24001-2016/ISO14001:2015

THE DESIGN, PRODUCTION, SERVICES AND THE RELAVENT MANAGEMENT ACTIVITY OF LED LUMINARES (LED MODULE, LED LAMP STRING, RECESSED LUMINAIRE AND FIXED LUMINAIRE)

Initial Certification date: 07-01-7013 This Certificate is validity until: 07-08-2023

(The surveillance audits shall be performed in a yearly manner during the validation. The continual effectiveness of the certificate shall be marked by the surveillance qualification logo as pasted below.)

















The Applicant

Rishang Optoelectronics Co., Ltd. FL. 2 to 5,Block 2,Hongfa Jiateli H-T-ech Park Shisin Community,Shiyan Town,Bao'an District,Shenzhen,Guangdong 518108 P. R. China


has been authorized to carry out testing by the order and under supervision of TÜV Rheinland according to

IEC/EN 60598-1, IEC/EN 60598-2-1, IEC/EN 60598-2-2, IEC/EN 60598-2-3, IEC/EN 60598-2-4, IEC/EN 60598-2-5, IEC/EN 60598-2-20, IEC/EN 60598-1, I


An audit of the laboratory was conducted according to ISO/IEC 17025 by a TUV Reinland auditor.

Audit Report No. 1709392-4004
This certificate is valid until the next scheduled audit or up to 18 months, at the discretion of TUV Reinland.

Date of issue: 01.04.2019



SMD STRIP LIGHT- 1 RL4CL08







120 Leds/m - DC12V & 24V - 8mm - 9W/m RA 80 - IP20

European ErP standards-Class D Energy Efficiency, saving 60% of energy than traditional LED strips.



























SMD STRIP LIGHT- 2 RL4CL08





60 Leds/m - 2835 - DC12V & 24V - 8mm - 4.4W/m RA 80 - IP20 - 115 - 119LM/W European ErP standards-Class D Energy Efficiency, saving 60% of energy than traditional LED strips.
























SMD STRIP LIGHT- 3 RL4CL08





120 Leds/m - DC12V & 24V - 8mm - 8.8W/m RA 80 - IP20 - 115 -119LM/W European ErP standards-Class D Energy Efficiency, saving 60% of energy than traditional LED strips.

























SMD STRIP LIGHT- 5 RL4CL08



60 Leds/m - 5050 - DC12V & 24V - 10mm - 12W/m - RA 80 - IP20 - 90 - 110LM/W European ErP standards-Class D Energy Efficiency, saving 60% of energy than traditional LED strips.

























LED MODULE- 30 RL4ML883





3 PCS 2835 SMD DC 12V 1W 70*13.6*6.6mm Suitable for 4~8cm(1.57~3.14in)depth signage lighting. Innovative outlook, improved optics, thinner application range, longer lighting distance.

























TOP BEND NEON STRIP- 31 RX24COTC-A



Sizes:


- 1. 4*10mm-12V, 120led/m 6W/m IP66
- 2. 6*12mm-12V, 120led/m 7.2W/m IP66
- 3. 8*17mm-12V, 120led/m 7.2W/m IP66
- 4. 10*10mm-12V, 120led/m 7.2W/m IP66
- 5. 12*12mm-12V, 120led/m 9.6W/m IP66
- 6. 16*16mm-12V, 120led/m 9.6W/m IP66



Flexible Top Bend Planar constant voltage Neon Strip.

Neon is featured in IP66 protection and great UV resistance, so it can be exposed to intense sunlight without yellowing and aging for a long time.

LED RIGID BAR- 50 RX24COTC-A





- CREE LED
- Adopt 3W COB LED
- Special secondary light dissipation lens with uniform lightness
- Adopt aluminum PCB is easy to dissipate heat
- SM-2A connector, easy to install.
- Available in 5*3W (15W) leds / 50cm,10*3W (30W) leds/ 100cm

MEANWELL-TRIDONIC-OSRAM-PHILIPS POWER SUPPLY







XLG-150 Input AC 100- 305V, Output 12V 12.5A IP67

XLG-200 Input AC 100- 305V, Output 12V 16A IP67

ELG-100 Input AC 100- 305V, Output 12V 8A IP67

ELG-150 Input AC 100- 305V, Output 12V 10A IP67

ELG-200 Input AC 100- 305V, Output 12V 16A IP67

ELG-240 Input AC 100- 305V, Output 12V 10A IP67





CONTACT US

- +971 55 6593644 👂
- +971 56 5424000 🔊
- +971 56 4524000 🔊
- kuttynewyork@hotmail.com
- shajuquti@outlook.com